ABSTRACT/ सारांश

1. Survey area : Nizamabad District, Telangana

सर्वेक्षण क्षेत्र जिला निजामाबाद, तेलंगाना

2. Geographical Extent : 18°05' to 19°05' North latitude उतार अक्षांश

भौगोलिक सीमा 77⁰ 04' to 78⁰37' East longitude पूर्व देशांतर

3. Agro- climatic Zone : Southern Plateau hills Region (Zone -X)

कृषि जलवायु क्षेत्र दक्षिणी पठार पहाड़ी क्षेत्र (ज़ोन-X)

4. Total area mapped : 706084 ha हेक्टेयर

कुल क्षेत्रफल भैप किया

5. Kind of Survey : Soil Resource Mapping (SRM) using Remote Sensing &

सर्वेक्षण की प्रकार GIS Techniques

मृदा संसाधन मानचित्रण (एस.आर.एम.), स्दूर संवेदन और

भौगोलिक सूचना प्रणाली तकनीक का उपयोग से

6. Base Map : a) IRS-1D Geo-coded Satellite Imagery (1:50,000 Scale)

आधार जक्शा : आईआरएस -1 डी जिओ-कोड उपग्रह चित्रण (1: 50,000 स्केल)

b) SOI Toposheets (1: 50,000 scale)

सर्वे ऑफ इंडिया टोपोशीट (1: 50,000 पैमाने पर)

7. Scale of Mapping : 1: 50,000

मानचित्रण के स्केल

8. Period of Survey : 2012-13

सर्वेक्षण की अवधि

9. Distribution of area under different soil series association mapped मिद्दी शृंखला एसोसिएशन के तहत मैप किया क्षेत्र का वितरण

| Sr. No. | Legend | Mapping Unit | Series Association | Area | % area |
|---------|--------|--------------|-------------------------------|--------|--------|
| 1 | AL01 | ALb2a1 | Tarbiloli-Nizamsagar | 919 | 0.13 |
| 2 | BA01 | BAi3a1 | Gurjal-Gandhari | 19451 | 2.75 |
| 3 | BA02 | BAi2a1 | Sadashivnagar-Madegaon | 35864 | 5.08 |
| 4 | BA03 | BAi3d1 | Timmajiwadi-Gandhari | 3865 | 0.55 |
| 5 | BA04 | BAr6d1 | Bhumapalli-Timmajiwadi | 5027 | 0.71 |
| 6 | GR01 | GRn8c1 | Banaswada-Malkapur | 16567 | 2.35 |
| 7 | GR02 | GRn8d1 | Malkapur-Banaswada | 2018 | 0.29 |
| 8 | GR03 | GRr6c1 | Varni-Tanakalan | 67185 | 9.52 |
| 9 | GR04 | GRr6d1 | Tanakalan-Varni | 13705 | 1.94 |
| 10 | GR05 | GRv4g1 | Manchippa-Yellareddy | 64108 | 9.08 |
| 11 | GR06 | GRv3g1 | Yellareddy-Manchippa | 59017 | 8.36 |
| 12 | GR07 | GRv3d1 | Chimmrappally-Mortad | 9588 | 1.36 |
| 13 | GR08 | GRv3a1 | Mortad-Chimmrappally | 92289 | 13.07 |
| 14 | GR09 | GRw2a1 | Rampur-Ramlaxmipalli-Indalvai | 244687 | 34.65 |
| | | | Sub Total | 634290 | 89.83 |
| 15 | | Misc. | | 71794 | 10.17 |
| | | | Grand Total | 706084 | 100 |

10. Distribution of area under different depth classes विभिन्न गहराई वर्गों के तहत क्षेत्र का वितरण

| Sr. No. | Depth | Area(ha) | Area% |
|---------|-----------------|----------|--------|
| 1 | Very deep | 281470 | 39.86 |
| 2 | Moderately deep | 111740 | 15.83 |
| 3 | Shallow | 156222 | 22.13 |
| 4 | Very shallow | 84858 | 12.02 |
| 5 | Misc | 71794 | 10.17 |
| | Grand Total | 706084 | 100.00 |

11. Distribution of area under different Erosion classes विभिन्न कटाव वर्गों के तहत क्षेत्र का वितरण

| Sr. No. | Erosion | Area(ha) | Area% |
|---------|------------------------------|----------|--------|
| 1 | None to slight water erosion | 919 | 0.13 |
| 2 | Slight to Moderate erosion | 336976 | 47.72 |
| 3 | Moderate water erosion | 204595 | 28.98 |
| 4 | Moderate to Severe erosion | 86773 | 12.29 |
| 5 | Severe water erosion | 5027 | 0.71 |
| 6 | Misc | 71794 | 10.17 |
| | Grand Total | 706084 | 100.00 |

12. Distribution of area under different management classes विभिन्न प्रबंधन वर्गों के तहत क्षेत्र का वितरण

| Sr. No. | Management | Area(ha) | Area% |
|---------|--|----------|-------|
| 1 | Well managed(WB) | 281470 | 39.86 |
| 2 | Moderately managed(MB) | 59017 | 8.36 |
| 3 | Poorly managed(PB) to Moderately managed(MB) | 101877 | 14.43 |
| 4 | Poorly managed(PB) | 168314 | 23.84 |

| Sr. No. | Management | Area(ha) | Area% |
|---------|---------------|----------|--------|
| 5 | Unmanaged(UB) | 23612 | 3.34 |
| 6 | Misc | 71794 | 10.17 |
| | Grand Total | 706084 | 100.00 |

13. Distribution of area under different slope classes विभिन्न ढलान वर्गों के तहत क्षेत्र

का वितरण

| Sr. No. | Slope Classes | Area(ha) | Area% |
|---------|---------------------------------------|----------|--------|
| 1 | Nearly level to very gently sloping | 281470 | 39.86 |
| 2 | Very gently sloping to gently sloping | 184210 | 26.09 |
| 3 | Gently sloping to moderately sloping | 64108 | 9.08 |
| 4 | Strongly sloping to moderately steep | 85917 | 12.17 |
| 5 | Steep to very steep | 18585 | 2.63 |
| 6 | Misc | 71794 | 10.17 |
| | Grand Total | 706084 | 100.00 |

14. Distribution of area under different land use अलग भूमि उपयोग के तहत क्षेत्र का वितरण

| Sr. No. | Land use | Area(ha) | Area% |
|---------|-------------|----------|--------|
| 1 | Agriculture | 393210 | 55.69 |
| 2 | Forest | 206877 | 29.30 |
| 3 | Open scrub | 34203 | 4.84 |
| 4 | Misc | 71794 | 10.17 |
| | Grand Total | 706084 | 100.00 |

15. Salient features मुख्य विशेषताएं:

- ➤ Major part of the area of district comes under Granite (80.61%), it is followed by Basalt (9.09%) and Alluvium (0.13%).
- ➤ Survey area is dominated by Nearly level to very gently sloping (39.86%) followed by Very gently sloping to gently sloping lands (26.09%), Strongly sloping to moderately steep (12.17%), Gently sloping to moderately sloping (9.08%) and only 2.63% of land were steep to very steep sloping.
- Major area of this district is under agriculture which accounts 55.69%, forest (29.30%) and open scrubs land (4.84%) of the whole survey area.
- ➤ Soil depth class-wise overall- 39.86% area under very deep soils (which is followed by shallow (22.13%), moderately deep (15.83%) and very shallow soils (12.02%).
- Land capability class II covering 34.78% area of district, it is followed by class VI land with 29.57% out of the total surveyed area. Nearly 13.07% of area comes under land capability class III and class VII covered 4.57% of area.
- ➤ 34.65% of the area comes under moderate soil limitations (B-C) whereas 24.78% area comes under class very severe soil limitation (D), 18.15% area under class C, 9.37% area being qualified as class E and remaining 2.75% being qualified in class C-D.
- ➤ Most of the area of this district is under moderately high runoff to high runoff potential (C-D) 39.73%, followed by high runoff potential (D) 36.90%, followed by moderately high runoff (C) 13.07% and remaining qualified under moderately lower run-off potential to high run-off potential (B-C) which accounts 0.13% of the whole surveyed area. This indicates stability of land form and soil for sustainable agriculture development.
- ➤ Soils order are identified individual are Entisols (11) followed by Vertisols (4), Inceptisols (3) and Alfisols (1).
- Almost 47.72 % area of district is suffer from slight to moderate erosion (followed by moderate water erosion accounting for 28.98 %. Moderate to severe erosion accounting for 12.29% area, sever water erosion 0.71 and none to slight erosion 0.13%.

HOW TO USE SOIL RESOURCE MAPPING REPORT

This report embodies the results of the Soil Resource Mapping of Nizamabad district (Telangana) providing information on the geographical setting of the district, such as location, extent, physiographic, relief, drainage, climate, geology, natural vegetation, agriculture, land use and soils.

The report contains other information on Interpretative grouping of soils such as land capability classes; land irrigability classes, soil suitability grouping and hydrological grouping and also recommendation for crops; horticulture development; forest, forage and grassland development; water harvesting, water storage and water management that are essential for soil and land resource management. The genesis and classification of the soils are also discussed in Chapter-5

Nizamabad district of Telangana is spread over an area of **7**, **06,084 ha**. The district is covered by 18 SOI topographical sheets on the scale of 1: 50,000 which are used as base material along with satellite imageries which are useful for soil and land resource mapping for developing scientific land use plan at macro level.

Initially soil resource database is developed manually using visual interpretation of satellite imageries. The soil maps along with attributes of soil were converted into digital format using Geographic Information System (GIS).

Each soil mapping unit is marked by mapping unit i.e. **Alb2a1** (Alluvium; alluvial plain; 0-3% slope; agriculture land use; Soil Series Association, describing Tarbiloli dominant series in association with Nizamsagar. Each soil association is restricted to a maximum of three soil series.

For the use of the soil resource report, first locate the area of your interest on the map and note down the soil mapping units. Permanent features such as road, stream, lakes and village habitation etc. shown on the map, help to locate the area of interest on the map. For the detailed information on soil mapping unit in respect of soil series of the area of interest, its extent, present and proposed land uses, reference may be made to Chapter -4, Pedon description along with analytical data of representative soil is presented in Appendix I.

The mapping unit used in soil mapping represents the five levels of mapping i.e.Alb2a1 may be referred as follows:

AL - Alluvium - Landscape

b - Alluvium plain - Physiography

2 - 0-3% - Slope Class

a - Agriculture land - Land Use

- Association of Soil series with erosion and management soil unit.

Any comment and suggestion on the report would be welcome.

For further information or clarification, if any, the contact may be established with:

Chief Soil Survey Officer Soil Survey Officer

Soil and Land use Survey of India Soil and Land use Survey of India

(Department of Agriculture, Cooperation &

Cooperation & farmers' welfare) farmers' welfare)

Government of India Government of India

I.A.R.I. Buildings and/or Bhoomi Sarvekshan Bhavan

New Delhi – 110012 Katol Road, Nagpur- 440013

Ph.:011 25843811, 25841263 Ph.: 0712 2582293, 2581831

Website-http://slusi.dacnet.nic.in